Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
·L1	296	((static\$3 or initial or initialize or starting or beginning) near2 offset) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:34
L2	1218	(711/202).CCLS.	USPAT; USOCR	OR	OFF	2007/01/04 09:35
L3	647	(711/203).CCLS.	USPAT; USOCR	OR	OFF	2007/01/04 09:35
L4	4	1 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/01/04 09:35
L5	0	1 and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/01/04 09:35
S1	296	((static\$3 or initial or initialize or starting or beginning) near2 offset) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:34
S2	18	((static\$3 or initial or initialize or starting or beginning) near2 offset) with (node\$1 or processor\$1) with pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:56
S3	23	(static\$3 near2 offset) near10 (initial or initialize or starting or beginning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:51

			T			
54	167	allocat\$3 with pointer with offset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:52
S5	1	(allocat\$3 with pointer with offset) same (computer near2 (node\$1 or unit\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:52
S6	29	(allocat\$3 with pointer with offset) same ((node\$1 or unit\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:53
S7	23	(allocat\$3 with pointer with offset) same (node\$1 or (computer near2 unit\$1) or processor\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:53
S8	3364	((static\$3 or initial or initialize or starting or beginning) adj offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:56
S9	1855	((static\$3 or initial or initialize) adj offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:57
S10	17	((static\$3 or initial or initialize) adj offset) same (allocat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:57

				,		
S11	17	((static\$3 or initial or initialize or initialization) adj offset) same (allocat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:58
S12	43	((static\$3 or initial or initialize or initialization) adj offset) same pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/01/04 08:58
S13	6	((static\$3 or initial or initialize or initialization) adj offset) same pointer same (processor\$1 or node\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 08:59
S14	3502	(711/?).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:00
S15	0	S9 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:00
S16	22	S8 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:02
S17	1492	(711/170).CCLS.	USPAT; USOCR	OR	OFF	2007/01/04 09:02
S18	647	(711/203).CCLS.	USPAT; USOCR	OR	OFF	2007/01/04 09:03

	<u> </u>					20210112122
S19	3	S1 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:03
S20	0	S1 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:04
S21	12	(static near2 offset) near5 pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:10
S22	1607	(713/1).CCLS.	USPAT; USOCR	OR	OFF	2007/01/04 09:10
S23		S1 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:10
S24	10	S8 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:12
S25	7	addressable near10 (pointer near5 offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:12
S26	5375	((static\$3 or initial or initialize or initialization) near2 offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:15

			<del>,</del>			
S27	16	((static\$3 or initial or initialize or initialization) near2 offset) with allocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:16
S28	227	(per-processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB.	OR	OFF	2007/01/04 09:16
S29	2	S26 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:20
S30	2753	(allocat\$3 near10 (logical or virtual)) same (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:21
S31	125	(allocat\$3 near10 (logical or virtual)) same (node\$1 or processor\$1) same(pointer or offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:21
S32	29	(allocat\$3 near10 (logical or virtual)) with (node\$1 or processor\$1) with (pointer or offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:23
S33	383	(allocat\$3 near10 (logical or virtual)) with (pointer or offset or placement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:23

S34	292	(allocat\$3 near5 (logical or virtual)) with (pointer or offset or placement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:23
S35	4	(allocat\$3 near5 (logical or virtual) near5 contiguous) with (pointer or offset or placement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 09:24

Interference Spanched

74	Blance	36000,1601				
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	(((static\$3 or initial or initialize or starting or beginning) near2 offset) with (node\$1 or processor\$1)).clm.	US-PGPUB	OR	OFF	2007/01/04 09:37
L2	6	(allocat\$3 with pointer with offset).clm.	US-PGPUB	OR	OFF	2007/01/04 09:37
L3	1	((allocat\$3 with pointer with offset) same (node\$1 or (computer near2 unit\$1) or processor\$1)).clm.	US-PGPUB	OR	OFF	2007/01/04 09:38
L4	2	(((static\$3 or initial or initialize or initialization) adj offset) same pointer).clm.	US-PGPUB	OR	OFF	2007/01/04 09:38
L5	7	((allocat\$3 near5 (logical or virtual)) with (pointer or offset or placement)).clm.	US-PGPUB	OR	OFF	2007/01/04 09:39